

## INDEX

## A

acid-base interaction 274, 365-6, 502-3  
acid rain 40  
acrylamide grafting 307, 314-8  
adhesion 403, 442-4  
adhesive 779-82  
aero-mechanical conveyors 212, 214  
aerospace 782-3  
agglomerates 257-9  
aggregates 259-61  
agriculture 782  
aluminum  
    borate 19  
    flakes and powder 16  
    oxide 20  
    trihydroxide 22  
annealing 263, 268  
anthracite 25  
antistatic compounds 94  
antimony  
    pentoxide 27  
    trioxide 29  
apatite 31  
appliances 783  
aragonite 52-3  
aramid fibers 178  
    hygroscopic behavior 179  
    surface modification 178  
attapulgite 33  
automotive materials 784-5

## B

bags 263

air evacuation 205  
    unloading systems 215-6  
bagging 204  
ball clay 75  
Banbury mixer 227  
barium  
    metaborate 35  
    and strontium sulfate 41  
    sulfate 36  
    titanate 42  
barrier properties 280  
bed activator 209  
bentonite 43, 75  
beryllium oxide 45  
BET 34, 70, 237, 253-4, 391  
*blanc fixe* 37-38  
blending of fillers 216-7  
blends, alloys, IPN 717-726  
blower 210  
boron nitride 46  
bottles and containers 785-6  
bound rubber 374-80  
brakes 431  
brass powder 77  
bronze powder 77  
building components 786  
bulk containers 205  
    emptying 212-3, 214-5  
business machines 786-7

## C

cable and wire 787-8  
calcination 54  
calcite 52-53

calcium  
  carbonate 48  
    precipitated 56  
  hydroxide 58  
  sulfate 59  
carbon black 62-71  
  classification 66-67  
  formation 63  
  methods of production 64-5  
  morphology 68-9  
  particles size 98  
  properties 65  
  structure 63, 69-70  
carbon fibers 180-3  
  carbonization methods 181  
  hollow carbon fibrils 182  
  morphology 181  
  nickel coated 109  
  raw materials for production 181-2  
cellulose fibers 184-6  
  morphology 185  
ceramic beads 72-4  
chain dynamics 373  
chalk 54-5  
China clay 75, 100-1  
chemical reactivity 4  
cleavage 252  
coated fabrics 788  
coatings and paints 788-93  
  50-2  
composites 726-30  
conductive compounds 94  
conveying distance 209  
copper powder 77  
cosmetics 793-5  
covalent forces 365  
cracking 437, 721  
cristobalite 78  
critical volume fraction 267  
crosslink density 338-9  
cure 331-6  
  depth 33

  shrinkage 332  
  crystal structure 252

## D

debonding 380-4  
degradable materials 517-8  
degradation 501-20  
  irradiation 501-5  
  liquids and vapors 513-6  
  temperature 510-3  
  UV 505-10  
dendrite 77, 119  
dental composites 795-6  
diatomaceous earth 80  
  production process 82  
diatomite 80-2  
dispersion 222-9, 755-7  
  high speed disperser 225-7  
dispersive component 272-3  
distance between aggregates 388  
dolomite 54, 84  
drying 220-2  
durability 5

## E

effect on additives 539-58  
  adhesion promoters 539-41  
  antistatics 541  
  blowing agents 541-2  
  catalysts 543-4  
  compatibilizers 544-5  
  coupling agents 545-6  
  dispersing agents 547-9  
  flame retardants 549-51  
  impact modifiers 551-2  
  UV stabilizers 552-5  
effective volume fraction 266  
electrical and electronic materials 796-7  
electrical properties 4, 46  
elongated particles 56-57

EMI shielding 18, 109, 797-9  
environmental impact 5, 521-38  
  autoignition 524  
  char 531  
  decomposition and combustion 527-30  
  definitions 521  
  emissions 530-1  
  flame spread rate 523-7  
  heat transmission rate 526-7  
  ignition 523-7  
  limiting oxygen index 522-3  
  smoke 531  
equations  
  Avrami 487  
  compressive strength 418  
  Einstein 396, 410, 425  
  energy dissipation 434  
  Fedor 467  
  friction coefficient 429  
  Guth, Gold 361, 407  
  Kelly, Tyson 397, 400  
  , Hoffman 490  
  Mooney, Rivlin 436  
  , Narkis 396  
  , Leinder 396  
  rotary motion 468  
  tearing energy 417  
  wear volume 427  
  yield stress 402

## F

failure 440-1  
fatty acids 56  
feeding 218-9  
feed arrangement 353  
feldspar 86, 100  
ferrites 85  
fibers 27, 799  
  composite failure 438  
  orientation 351

fillers  
  absorption coefficient 231  
  absorption of liquids 278-9  
  acidity 231  
  aspect ratio 7, 263  
  ash content 231  
  association 7  
  brightness 232  
  chemical  
    composition 7  
    functionality 308-11  
    properties 305-43  
  classification 11-12  
  conductive 107-11  
  cost reduction 1  
  color 3, 232  
  CTAB surface area 232  
  DBP absorption 233  
  definition 8-11  
  density 2, 10, 233, 241-5, 267  
  electrical properties 233, 291-5  
  expansion 123-5  
  expectations 1  
  extractables 234  
  fines 234  
  hardness 287  
  heating loss 234  
  heat stability 234  
  Hegman fineness 234  
  hiding power 234, 250, 284  
  hydrophobicity 283  
  intumescent properties 288-8  
  iodine absorption number 235  
  loss on ignition 235  
  magnetic properties 295-7  
  markets 12-13  
  melting temperature 274  
  modification 310-26  
  moisture 8, 33, 275-8, 311  
  morphology 16-189, 251-3  
  oil absorption 8, 235, 280-1  
  opacity 250

- optical properties 3, 284
- orientation function 355
- packaging 203
- packing volume 264-9
- particle shape 7, 24, 251
- particle size 7, 236, 245-6, 414, 416
  - distribution 246-50
- pellet strength 236
- pH 7, 76, 236, 269
- polymeric 122-6
- precipitated 23
- quality control 231
- reactivity 305
- refractive index 7, 40, 285-6
- resistance to light 236
- resistivity of extract 236
- sieve residue 237
- soluble matter 237
- sources 15
- specific surface area 237
- storage 203, 208-210
- sulfur content 237
- surface
  - coating 39
  - groups 309
  - roughness 251
- swelling 278-9
- tamped volume 237
- thermal
  - conductivity 289-90
  - expansion coefficient 290-1
  - properties 8
- tinting strength 238
- transportation 203, 205-8
- trends 12-13
- unloading 206-8
- volatile matter 238
- water
  - content 238
  - release 23
  - soluble content 238

- film 799-802
- fire retardancy 29
- flatting mechanism 141
- flocculation 39, 257, 261-3
- fly ash 32
- foam 802
- food and feed 802-3
- formulation with fillers 741-7
- fracture 169
- friction
  - materials 803
  - properties 286
- Fuller's earth
- fungicide 35

## G

- gas atomization 77
- geosynthetics 803
- glass beads 87-90
  - morphology 90
- glass fibers 187-8
- gold powder and flakes 91
- grafting 307, 337-8
- graphite 92-4

## H

- Hamaker coefficient 365
- hardness 93, 152, 287
- Harkins spreading coefficient 271
- health & safety 6, 825-31
- hectorite 75
- Hencky strain 351, 468
- heteroflocculation 261
- hoses and pipes 803-4
- hydrous calcium silicate 96
  - production process 96
- hydrophobic
  - properties 152, 281-3

**I**

illite 75  
impact strength 93, 169  
in-plant conveying 210-4  
interaction 305, 358-9  
  ionic 361  
  segmental 360  
  with chain 372  
interface 347  
interfacial adhesion 369-70  
interphase 367-9  
  thickness 370-2  
iron oxide 97-8

**K**

kaolin 99-103  
  calcinated 102  
  structured 103  
  thermo-optic 103  
kneading mixers 227

**L**

laminates 736-7  
leafing 17  
limestone 48, 54  
lithopone 50  
load transfer 451-2

**M**

magnesium  
  hydroxide 106  
  oxide 105  
magnetic  
  devices 804  
  properties 4  
magnetizable materials 85  
marble 54  
material properties 395-460

abrasion 30-2  
compression set 449-51  
compressive strength 418-9  
creep 454-5  
elastic modulus 407-10  
elongation 395-401  
fatigue 433-40  
flexural strength 410-2  
fracture resistance 419-26  
  coalescence 422  
  filler/matrix interaction 424  
  holes 425  
  impact fracture 424  
  ligaments 421  
shear bands 422  
  splitting and tearing 421-2  
  void formation 421-2  
friction 429-30  
hardness 414-7  
impact resistance 412-4  
influence of surface treatment 326-30  
scratch resistance 432-3  
shrinkage 444-8  
tear strength 417-8  
tensile strength 354, 395-401  
tensile yield stress 402-7  
thermal deformation 444  
warpage 448-9  
wear 426-8  
maximum packing volume 265-6  
mechanical conveyors 211  
mechanical properties 4, 235  
medical applications 804-6  
membranes 807  
mica 109, 112-5  
  color 114  
  muscovite 113  
  phlogopite 113  
Mie scattering theory 249  
milling 54  
  ball mill 222-3  
  roll mill 224-5

- sand mill 223-4
- mixing 88, 217, 764-9
- molecular
  - mobility 341-3
  - sieves 170
- molybdenum
  - powder 116
  - disulfide 117
- montmorillonite 43, 75, 261
- morphology 5, 485-99
  - core-shell 719
  - crystal size 492-3
  - crystallinity 485-7
  - crystallization behavior 487-90
  - orientation 497-8
  - spherulites 493-5
  - transcrystallinity 495-7

## N

- nanocomposites 433, 730-6
- nickel powder and flakes 118-9
- noise damping 807
- nucleation 94, 153, 490-2

## O

- oil absorption 280-1
- optical devices 807-9
- orientation
  - angle 353
  - flow induced 468-70

## P

- paints 104, 507, 788-93
- paper 809-12
- particle
  - cracking 384
  - distribution 347-50
  - orientation 351-6
- particle-particle interaction 255-7

- PE powder 126
- permeability 4, 280
  - gas 152
- perlite 120-1
- pH adjustment 28
- pharmaceutical products 793-5
- photochemical activity 172, 508
- pneumatic conveying 211
  - filters 211
  - system elements 212
- polymerization in filler presence 336-7
- polymers 605-716
  - acrylics 606-7
  - ABS 608-9
  - ASA 610
  - aliphatic polyketone 611
  - alkyd resins 612
  - elastomers 613
  - epoxy resins 614
  - ethylene vinyl acetate copolymers 619
  - ethylene ethyl acetate copolymer 620
  - ethylene propylene copolymers 621
  - ionomers 622
    - liquid crystalline polymers 623
  - perfluoroalkoxy resin 624
  - phenolic resins 625
  - poly(acrylic acid) 628
  - polyamides 629
  - polyamide imide 633
  - polyamines 634
  - polyaniline 635
    - ketone 636
  - poly(butylene terephthalate) 638
  - polycarbonate 639
  - polyetheretherketone 642
  - polyetherimide 644
  - polyether sulfone 645
  - polyethylene 646
  - polyethylene, chlorinated 651
  - polyethylene, chlorosulfonated 652
  - poly(ethylene oxide) 653

poly(ethylene terephthalate) 655  
polyimide 656  
polymethylmethacrylate 658  
polyoxymethylene 660  
poly(phenylene ether) 661  
poly(phenylene sulfide) 662  
polypropylene 663  
polypyrrole 668  
polystyrene & high impact 669  
polysulfides 672  
polysulfone 673  
polytetrafluoroethylene 3, 286, 674  
polyurethanes 676  
poly(vinyl acetate) 679  
poly(vinyl alcohol) 680  
poly(vinyl butyral) 681  
poly(vinyl chloride) 682  
silicones 698  
styrene acrylonitrile copolymer 700  
tetrafluoroethylene-perfluoropropylene 701  
unsaturated polyesters 702  
vinylidene-fluoride terpolymers 704  
pores 146  
    volume 255  
porosity 254  
potential energy curve 256  
precipitation 54  
press mixer 228  
processing methods 749-78  
    blow molding 749-51  
    calendering 751-2  
    compression molding 752-4  
    dip coating 754-5  
    extrusion 757-60  
    foaming 760-1  
    injection molding 761-3  
    knife coating 763-4  
    mixing 764-9  
    pultrusion 769  
    reaction injection molding 769-71  
    rotational molding 771-2

    sheet molding 772-3  
    thermoforming 773  
    welding and machining 773-4  
product shape 4  
PTFE powder 125-6  
pumice 127  
pumping 88  
pyrophyllite 128

## Q

quartz 78-9, 142-3

## R

radiation shields 812-3  
rail car transportation 206, 813-4  
reaction kinetics 339-41  
recycling 531-6  
reinforcement  
    chain slippage mechanism 386  
    mechanism 384  
resistivity 256  
rheology 4, 56, 83, 461-84  
    complex viscosity 474-8  
    dynamic mechanical behavior 472-4  
    elongational viscosity 478-81  
    flow 465-7  
    melt 481  
    shear viscosity 478  
    torque 470-1  
    viscoelasticity 471-2  
    viscosity 461-5  
    yield value 481-3  
road vehicle transportation 205  
roofing 814  
rubber 684-96  
    natural rubber 685  
    nitrile rubber 687  
    particles 129  
    polybutadiene rubber 690  
    polybutyl 691

polychloroprene 692  
 polyisobutylene 694  
 polyisoprene 695  
 styrene-butadiene rubber 696

## S

sealants 817-8  
 sedimentation 261-3, 391  
 self-lubrication 93  
 sepiolite 130  
 siding 818-9  
 silanes 306, 545-6  
   choice 324  
   configuration 323  
   effect on material properties 325-6  
   monolayer thickness 306  
   retention 322  
   treatment 318-21  
 silica 131  
   fumed 132-7  
     chemical groups 134-5  
     crystalline structure 134  
     hydrogen bonding 135  
     mixing 137  
     morphology 136  
     production 133-4  
   fused 138  
   gel 146  
     pore radius 146  
   precipitated 139-141  
     flatting 141  
     production 140  
     structure 140  
   sand 144-5  
     iron content 145  
     morphology 145  
 silicone resin 111  
 silo 208-210  
   flow measurement 209  
   surface coating 208  
 silver

  coating 108  
   powder and flakes 147-8  
 slate flour 149  
 slurry 54  
 smectite 75  
 sodium antimonate 26  
 source of chlorine 26, 30  
 spacing 255  
 sports equipment 819  
 spray drying 44  
 stabilization 516-7, 552-5  
 stress  
   distribution 89  
   fields 381, 451  
   intensity factor 435  
   residual 453-4  
 structure 25961  
 surface  
   energy 271-3  
   properties 3  
   tension 271  
   treatment 89

## T

talc 150-3  
   molecular structure 152  
   tremolite 152  
*Terra Alba* 60-1  
 testing methods 559-604  
   atomic force microscopy 253, 259-60  
   autoignition test 560  
   bound rubber 560-1  
   char formation 561-2  
   cone calorimetry 562-3  
   contact angle 563-5  
   dispersing agent requirement 565-6  
   dispersion test 566-7  
   dripping test 567-8  
   dynamic mechanical analysis 568  
   electric constants determination  
   568-71



- electron microscopy 571-2
- electron spin resonance 586-7
- ESCA 587-8
- fiber orientation 572
- flame propagation 572-4
- gas chromatography 592
- gel content 592
- glow wire test 574
- IR and Raman 593-4
- image analysis 574-7
- inverse gas chromatography 588-92
- limiting oxygen index 577
- magnetic properties 578
- NMR 594-7
- optical microscopy 579
- particle size analysis 589
- radiant panel test 580
- rate of combustion 580
- scanning acoustic microscopy 581
- smoke chamber 581-2
- sonic methods 582-4
- specific surface area 584-5
- thermal analysis 585-6
- UV/visible spectrophotometry 597-8
- XPS 598-9
- x-ray analysis 598
- thermal
  - conductivity 46, 94
  - properties 4
- tint strength 30
- tires 815-7
- titanium dioxide 154
  - anatase 156, 159, 162
  - brookite 158
  - coating 159-160, 163
  - manufacturers 156
  - particle size 157, 161
  - production process 160
  - refractive index 156
  - rutile 156, 158, 162-3
  - use 156
- travertine 54
- tremolite 152
- tripoli 142-3
- tungsten powder 164
- U**
  - UV absorption 157, 161
  - van der Waals forces 363-5
  - vaterite 54
  - vegetable fibers 188-9
  - vermiculite 75, 165
  - viscosity regulation 44
  - voids 252, 356-8
  - volcanic ash 43
- W**
  - water atomization 77
  - waterproofing 819
  - wear factor 286
  - windows 820
  - wollastonite 167-9
    - morphology 168
  - wood flour 166
  - work of adhesion 271-2
- X**
  - x-ray absorption 40
- Y**
  - Young's modulus 93
- Z**
  - zeolites 170
  - zeta potential 270
  - zinc borate 171
  - zinc oxide 172
    - American process 172
    - French process 172

- physical vapor synthesis 172
- zinc stannate 175
- zinc sulfide 176
  - morphology 177
  - refractive index 176