

# TABLE OF CONTENTS

<b>Preface</b>	<b>xv</b>
<b>Acknowledgment</b>	<b>xvii</b>
<b>1 INTRODUCTION</b>	<b>1</b>
1.1 Expectations from fillers	1
1.2 Typical filler properties	7
1.3 Definitions	8
1.4 Classification	11
1.5 Markets and trends	12
<i>References</i>	13
<b>2 SOURCES OF FILLERS, THEIR CHEMICAL COMPOSITION, PROPERTIES, AND MORPHOLOGY</b>	<b>15</b>
2.1 Particulate fillers	16
2.1.1 Aluminum flakes and powder	16
2.1.2 Aluminum borate whiskers	19
2.1.3 Aluminum oxide	20
2.1.4 Aluminum trihydroxide	22
2.1.5 Anthracite	25
2.1.6 Antimony of sodium	26
2.1.7 Antimony pentoxide	27
2.1.8 Antimony trioxide	29
2.1.9 Apatite	31
2.1.10 Ash, fly	32
2.1.11 Attapulgite	33
2.1.12 Barium metaborate	35
2.1.13 Barium sulfate	36
2.1.14 Barium & strontium sulfates	41
2.1.15 Barium titanate	42
2.1.16 Bentonite	43
2.1.17 Beryllium oxide	45
2.1.18 Boron nitride	46
2.1.19 Calcium carbonate	48
2.1.20 Calcium hydroxide	58
2.1.21 Calcium sulfate	60
2.1.22 Carbon black	62
2.1.23 Ceramic beads	72

2.1.24	Clay	75
2.1.25	Copper	77
2.1.26	Cristobalite	78
2.1.27	Diatomaceous earth	80
2.1.28	Dolomite	84
2.1.29	Ferrites	85
2.1.30	Feldspar	86
2.1.31	Glass beads	87
2.1.32	Gold	91
2.1.33	Graphite	92
2.1.34	Hydrous calcium silicate	96
2.1.35	Iron oxide	97
2.1.36	Kaolin	99
2.1.37	Lithopone	104
2.1.38	Magnesium oxide	105
2.1.39	Magnesium hydroxide	106
2.1.40	Metal-containing conductive materials	107
2.1.41	Mica	112
2.1.42	Molybdenum	116
2.1.43	Molybdenum disulfide	117
2.1.44	Nickel	118
2.1.45	Perlite	120
2.1.46	Polymeric fillers	122
2.1.47	Pumice	127
2.1.48	Pyrophyllite	128
2.1.49	Rubber particles	129
2.1.50	Sepiolite	130
2.1.51	Silica	131
2.1.51.1	Fumed silica	132
2.1.51.2	Fused silica	138
2.1.51.3	Precipitated silica	139
2.1.51.4	Quartz (tripoli)	142
2.1.51.5	Sand	144
2.1.51.6	Silica gel	146
2.1.52	Silver powder and flakes	147
2.1.53	Slate flour	149
2.1.54	Talc	150
2.1.55	Titanium dioxide	154
2.1.56	Tungsten	164
2.1.57	Vermiculite	165
2.1.58	Wood flour and similar materials	166
2.1.59	Wollastonite	167

2.1.60	Zeolites	170
2.1.61	Zinc borate	171
2.1.62	Zinc oxide	172
2.1.63	Zinc stannate	175
2.1.64	Zinc sulfide	176
2.2	Fibers	178
2.2.1	Aramid fibers	178
2.2.2	Carbon fibers	180
2.2.3	Cellulose fibers	184
2.2.4	Glass fibers	187
2.2.5	Other fibers	188
	<i>References</i>	189
<b>3</b>	<b>TRANSPORTATION, STORAGE, AND PROCESSING OF FILLERS</b>	<b>203</b>
3.1	Filler packaging	203
3.2	External transportation	205
3.3	Filler receiving	206
3.4	Storage	208
3.5	In-plant conveying	210
3.6	Semi-bulk unloading systems	215
3.7	Bag handling equipment	216
3.8	Blending	217
3.9	Feeding	218
3.10	Drying	220
3.11	Dispersion	222
	<i>References</i>	227
<b>4</b>	<b>QUALITY CONTROL OF FILLERS</b>	<b>231</b>
4.1	Absorption coefficient	231
4.2	Acidity or alkalinity of water extract	231
4.3	Ash content	231
4.4	Brightness	232
4.5	Coarse particles	232
4.6	Color	232
4.7	CTAB surface area	232
4.8	DBP absorption number	233
4.9	Density	233
4.10	Electrical properties	233
4.11	Extractables	234
4.12	Fines content	234

4.13	Heating loss	234
4.14	Heat stability	234
4.15	Hegman fineness	234
4.16	Hiding power	234
4.17	Iodine absorption number	235
4.18	Lightening power of white pigments	235
4.19	Loss on ignition	235
4.20	Mechanical and related properties	235
4.21	Oil absorption	235
4.22	Particle size	236
4.23	Pellet strength	236
4.24	pH	236
4.25	Resistance to light	236
4.26	Resistivity of aqueous extract	236
4.27	Sieve residue	237
4.28	Soluble matter	237
4.29	Specific surface area	237
4.30	Sulfur content	237
4.31	Tamped volume	237
4.32	Tinting strength	238
4.33	Volatile matter	238
4.34	Water content	238
4.35	Water-soluble sulfates, chlorides and nitrates	238
	<i>References</i>	239

<b>5</b>	<b>PHYSICAL PROPERTIES OF FILLERS AND FILLED MATERIALS</b>	<b>241</b>
5.1	Density	241
5.2	Particle size	245
5.3	Particle size distribution	246
5.4	Particle shape	251
5.5	Particle surface morphology and roughness	251
5.6	Specific surface area	253
5.7	Porosity	254
5.8	Particle-particle interaction and spacing	255
5.9	Agglomerates	257
5.10	Aggregates and structure	259
5.11	Flocculation and sedimentation	261
5.12	Aspect ratio	263
5.13	Packing volume	264
5.14	pH	269
5.15	$\zeta$ -potential	270

5.16	Surface energy	271
5.17	Moisture	275
5.18	Absorption of liquids and swelling	278
5.19	Permeability and barrier properties	280
5.20	Oil absorption	280
5.21	Hydrophilic/hydrophobic properties	281
5.22	Optical properties	284
5.23	Refractive index	285
5.24	Friction properties	286
5.25	Hardness	287
5.26	Intumescent properties	288
5.27	Thermal conductivity	289
5.28	Thermal expansion coefficient	290
5.29	Melting temperature	291
5.30	Electrical properties	291
5.31	Magnetic properties	295
	<i>References</i>	297
<b>6</b>	<b>CHEMICAL PROPERTIES OF FILLERS AND FILLED MATERIALS</b>	<b>305</b>
6.1	Reactivity	305
6.2	Chemical groups on the filler surface	308
6.3	Filler surface modification	312
6.4	Effect of filler modification on material properties	324
6.5	Resistance to various chemical materials	330
6.6	Cure in filler's presence	331
6.7	Polymerization in filler's presence	336
6.8	Grafting	337
6.9	Crosslink density	338
6.10	Reaction kinetics	339
6.11	Molecular mobility	341
	<i>References</i>	343
<b>7</b>	<b>ORGANIZATION OF INTERFACE AND MATRIX CONTAINING FILLERS</b>	<b>347</b>
7.1	Particle distribution in matrix	347
7.2	Orientation of filler particle in a matrix	351
7.3	Voids	356
7.4	Matrix-filler interaction	358
7.5	Chemical interactions	359
7.6	Other interactions	363
7.7	Interphase organization	367

7.8	Interfacial adhesion	369
7.9	Interphase thickness	370
7.10	Filler-chain links	372
7.11	Chain dynamics	373
7.12	Bound rubber	374
7.13	Debonding	380
7.14	Mechanisms of reinforcement	384
7.15	Benefits of organization on molecular level	389
	<i>References</i>	392

**8 THE EFFECT OF FILLERS ON THE MECHANICAL PROPERTIES OF FILLED MATERIALS 395**

8.1	Tensile strength and elongation	395
8.2	Tensile yield stress	402
8.3	Elastic	407
8.4	Flexural strength and modulus	410
8.5	Impact resistance	412
8.6	Hardness	414
8.7	Tear strength	417
8.8	Compressive strength	418
8.9	Fracture resistance	419
8.10	Wear	426
8.11	Friction	429
8.12	Abrasion	430
8.13	Scratch resistance	432
8.14	Fatigue	433
8.15	Failure	440
8.16	Adhesion	442
8.17	Thermal deformation	444
8.18	Shrinkage	444
8.19	Warpage	448
8.20	Compression set	449
8.21	Load transfer	451
8.22	Residual stress	453
8.23	Creep	454
	<i>References</i>	455

**9 THE EFFECT OF FILLERS ON RHEOLOGICAL PROPERTIES OF FILLED MATERIALS 461**

9.1	Viscosity	461
9.2	Flow	465
9.3	Flow induced filler orientation	468

9.4	Torque	470
9.5	Viscoelasticity	471
9.6	Dynamic mechanical behavior	472
9.7	Complex viscosity	474
9.8	Shear viscosity	478
9.9	Elongational viscosity	478
9.10	Melt rheology	481
9.11	Yield value	481
	<i>References</i>	483
<b>10</b>	<b>MORPHOLOGY OF FILLED SYSTEMS</b>	<b>485</b>
10.1	Crystallinity	485
10.2	Crystallization behavior	487
10.3	Nucleation	490
10.4	Crystal size	492
10.5	Spherulites	493
10.6	Transcrystallinity	495
10.7	Orientation	497
	<i>References</i>	498
<b>11</b>	<b>EFFECT OF FILLERS ON DEGRADATIVE PROCESSES</b>	<b>501</b>
11.1	Irradiation	501
11.2	UV radiation	505
11.3	Temperature	510
11.4	Liquids and vapors	512
11.5	Stabilization	516
11.6	Degradable materials	517
	<i>References</i>	518
<b>12</b>	<b>ENVIRONMENTAL IMPACT OF FILLERS</b>	<b>521</b>
12.1	Definitions	521
12.2	Limiting oxygen index	522
12.3	Ignition and flame spread rate	523
12.4	Heat transmission rate	527
12.5	Decomposition and combustion	527
12.6	Emission of gaseous components and heavy metals	530
12.7	Smoke	531
12.8	Char	531
12.9	Recycling	531
	<i>References</i>	536

<b>13 INFLUENCE OF FILLERS ON PERFORMANCE OF OTHER ADDITIVES AND VICE VERSA</b>	<b>539</b>
13.1 Adhesion promoters	539
13.2 Antistatics	541
13.3 Blowing agents	541
13.4 Catalysts	543
13.5 Compatibilizers	544
13.6 Coupling agents	545
13.7 Dispersing agents and surface active agents	547
13.8 Flame retardants	549
13.9 Impact modifiers	551
13.10 UV stabilizers	552
13.11 Other additives	554
<i>References</i>	555
<b>14 TESTING METHODS IN FILLED SYSTEMS</b>	<b>559</b>
14.1 Physical methods	559
14.1.1 Atomic force microscopy	559
14.1.2 Autoignition test	560
14.1.3 Bound rubber	560
14.1.4 Char formation	561
14.1.5 Cone calorimetry	562
14.1.6 Contact angle	563
14.1.7 Dispersing agent requirement	565
14.1.8 Dispersion tests	566
14.1.9 Dripping test	567
14.1.10 Dynamic mechanical analysis	568
14.1.11 Electrical constants determination	568
14.1.12 Electron microscopy	571
14.1.13 Fiber orientation	572
14.1.14 Flame propagation test	572
14.1.15 Glow wire test	574
14.1.16 Image analysis	574
14.1.17 Limiting oxygen index	577
14.1.18 Magnetic properties	578
14.1.19 Optical microscopy	579
14.1.20 Particle size analysis	580
14.1.21 Radiant panel test	580
14.1.22 Rate of combustion	580
14.1.23 Scanning acoustic microscopy	581
14.1.24 Smoke chamber	581
14.1.25 Sonic methods	582



14.1.26	Specific surface area	584
14.1.27	Thermal analysis	585
14.2	Chemical and instrumental analysis	586
14.2.1	Electron spin resonance	586
14.2.2	Electron spectroscopy for chemical analysis	587
14.2.3	Inverse gas chromatography	588
14.2.4	Gas chromatography	592
14.2.5	Gel content	592
14.2.6	Infrared and Raman spectroscopy	593
14.2.7	Nuclear magnetic resonance spectroscopy	594
14.2.8	UV and visible spectrophotometry	597
14.2.9	X-ray analysis	598
14.2.10	X-ray photoelectron Spectroscopy	598
	<i>References</i>	599

## **15 FILLERS IN COMMERCIAL POLYMERS 605**

15.1	Acrylics	606
15.2	Acrylonitrile-butadiene-styrene copolymer	608
15.3	Acrylonitrile-styrene-acrylate	610
15.4	Aliphatic polyketone	611
15.5	Alkyd resins	612
15.6	Elastomers	613
15.7	Epoxy resins	614
15.8	Ethylene vinyl acetate copolymers	619
15.9	Ethylene ethyl acetate copolymer	620
15.10	Ethylene propylene copolymers	621
15.11	Ionomers	622
15.12	Liquid crystalline polymers	623
15.13	Perfluoroalkoxy resin	624
15.14	Phenolic resins	625
15.15	Poly(acrylic acid)	628
15.16	Polyamides	629
15.17	Polyamide imide	633
15.18	Polyamines	634
15.19	Polyaniline	635
15.20	Polyarylether ketone	636
15.21	Poly(butylene terephthalate)	638
15.22	Polycarbonate	639
15.23	Polyetheretherketone	642
15.24	Polyetherimide	644
15.25	Polyether sulfone	645
15.26	Polyethylene	646

15.27 Polyethylene, chlorinated	651
15.28 Polyethylene, chlorosulfonated	652
15.29 Poly(ethylene oxide)	653
15.30 Poly(ethylene terephthalate)	655
15.31 Polyimide	656
15.32 Polymethylmethacrylate	658
15.33 Polyoxymethylene	660
15.34 Poly(phenylene ether)	661
15.35 Poly(phenylene sulfide)	662
15.36 Polypropylene	663
15.37 Polypyrrole	668
15.38 Polystyrene & high impact	669
15.39 Polysulfides	672
15.40 Polysulfone	673
15.41 Polytetrafluoroethylene	674
15.42 Polyurethanes	676
15.43 Poly(vinyl acetate)	679
15.44 Poly(vinyl alcohol)	680
15.45 Poly(vinyl butyral)	681
15.46 Poly(vinyl chloride)	682
15.47 Rubbers	684
15.47.1 Natural rubber	685
15.47.2 Nitrile rubber	687
15.47.3 Polybutadiene rubber	690
15.47.4 Polybutyl rubber	691
15.47.5 Polychloroprene	692
15.47.6 Polyisobutylene	694
15.47.7 Polyisoprene	695
15.47.8 Styrene-butadiene rubber	696
15.48 Silicones	698
15.49 Styrene acrylonitrile copolymer	700
15.50 Tetrafluoroethylene-perfluoropropylene	701
15.51 Unsaturated polyesters	702
15.52 Vinylidene-fluoride terpolymers	704
<i>References</i>	705
<b>16 FILLER IN MATERIALS COMBINATIONS</b>	<b>717</b>
16.1 Blends, alloys and interpenetrating networks	717
16.2 Composites	726
16.3 Nanocomposites	730
16.4 Laminates	736
<i>References</i>	737

<b>17 FORMULATION WITH FILLERS</b>	<b>741</b>
<i>References</i>	746
<b>18 FILLERS IN DIFFERENT PROCESSING METHODS</b>	<b>749</b>
18.1 Blow molding	749
18.2 Calendering and hot-melt coating	751
18.3 Compression molding	752
18.4 Dip coating	754
18.5 Dispersion	755
18.6 Extrusion	757
18.7 Foaming	760
18.8 Injection molding	761
18.9 Knife coating	763
18.10 Mixing	764
18.11 Pultrusion	769
18.12 Reaction injection molding	769
18.13 Rotational molding	771
18.14 Sheet molding	772
18.15 Thermoforming	773
18.16 Welding and machining	773
<i>References</i>	774
<b>19 FILLERS IN DIFFERENT PRODUCTS</b>	<b>779</b>
19.1 Adhesives	779
19.2 Agriculture	782
19.3 Aerospace	782
19.4 Appliances	783
19.5 Automotive materials	784
19.6 Bottles and containers	785
19.7 Building components	786
19.8 Business machines	786
19.9 Cables and wires	787
19.10 Coated fabrics	788
19.11 Coatings and paints	788
19.12 Cosmetics and pharmaceutical products	793
19.13 Dental restorative composites	795
19.14 Electrical and electronic materials	796
19.15 Electromagnetic interference shielding	797
19.16 Fibers	799
19.17 Film	799
19.18 Foam	802
19.19 Food and feed	802

19.20 Friction materials	803
19.21 Geosynthetics	803
19.22 Hoses and pipes	803
19.23 Magnetic devices	804
19.24 Medical applications	804
19.25 Membranes	807
19.26 Noise damping	807
19.27 Optical devices	807
19.28 Paper	809
19.29 Radiation shields	812
19.30 Rail transportation	813
19.31 Roofing	814
19.32 Telecommunication	814
19.33 Tires	815
19.34 Sealants	817
19.35 Siding	818
19.36 Sports equipment	819
19.37 Waterproofing	819
19.38 Windows	820
<i>References</i>	821
<b>20 HAZARDS IN FILLER USE</b>	<b>825</b>
<i>References</i>	831
<b>INDEX OF ABBREVIATIONS</b>	<b>833</b>
<b>DIRECTORY OF FILLER MANUFACTURERS AND DISTRIBUTORS</b>	<b>837</b>
<b>DIRECTORY OF EQUIPMENT MANUFACTURERS</b>	<b>877</b>
<b>INDEX</b>	<b>881</b>